Toxicology, 66 (1991) 349—352
Elsevier Scientific Publishers Ireland Ltd.

TOXICOLOGY

SUBJECT INDEX

Volume 66 (1991)

acetaminophen, bromobenzene, mice, liver damage, zinc protection, 81
acid phosphatase, chloroquine, fluorescent pigments, γ-glutamyl transpeptidase, glutathione, 165
acute toxicity, 2,3,7,8-tetrachlorodibenzo-*p*-dioxin, gluconeogenesis, time course, phosphoenolpyruvate carboxykinase, glucose-6-phosphatase, 133
adrenal, lindane (γ-HCH), glucocorticoid, adrenotoxicity, organochlorine, 75
adrenotoxicity, lindane (γ-HCH), adrenal, glucocorticoid, organochlorine, 75
aging, salicylic acid, 2,3-dihydroxybenzoic acid, 2,5-dihydroxybenzoic acid, nephrotoxicity, 297
Ah receptor, cytochrome *P*450IA1, 4 S PAH-binding protein, polycyclic aromatic hydrocarbons, dioxins, 175
aluminum, desferrioxamine, metal chelation, microdialysis, rat, 313
antibiotics, nephrotoxicity, succinimides, cephalosporins, rats, 47
antioxidants, NO_2 + O_3, life span exposure, rat lungs, lipid peroxides, antioxidative protective emzyme, lung tumor, 121
antioxidative protective emzyme, NO_2 + O_3, life span exposure, rat lungs, lipid peroxides, antioxidants, lung tumor, 121

biotransformation, naphthalene, preimplantation, prenatal, toxicity, embryos, 257
blood, superoxide dismutase, lung, rat, mercury, *N*-acetylcysteine, 289
bolesatine, mushroom, toxic protein, *Boletus satanas*, inhibition of protein, DNA, RNA syntheses, Madin Darby canine kidney cells, 213
Boletus satanas, bolesatine, mushroom, toxic protein, inhibition of protein, DNA, RNA syntheses, Madin Darby canine kidney cells, 213
brevetoxin, skin penetration, in vivo, in vitro, 1
bromobenzene, acetaminophen, mice, liver damage, zinc protection, 81
buthionine sulfoximine, cadmium, glutathione, DNA synthesis, NRK-49F cells, 325
B and T lymphocytes, cyclophosphamide toxicity, mitotic inhibition, 239

cadmium, dose-response relationship, cadmium in rice, urinary metallothionein, urinary β2-microglobulin, maximum allowable intake, metallothionein, 271
cadmium, glutathione, DNA synthesis, NRK-49F cells, buthionine sulfoximine, 325
cadmium in rice, dose-response relationship, urinary metallothionein, urinary β2-microglobulin, maximum allowable intake, cadmium, metallothionein, 271
calcium, glutathione, hepatotoxicity, isolated perfused liver, lipid peroxidation, vanadate, 63
calcium, nephrotoxicity, succinimides, phenothiazines, rats, 19
calcium, terbium, distribution, organs, mice, 93
cephalosporins, nephrotoxicity, succinimides, antibiotics, rats, 47
chloroquine, acid phosphatase, fluorescent pigments, γ-glutamyl transpeptidase, glutathione, 165
critical concentration, narcosis, partition coefficients, partial molar volume, volume fraction, 187
cyclophosphamide toxicity, B and T lymphocytes, mitotic inhibition, 239
cytochrome *P*-450, orotic acid, tumor promotion, vitamin E, lipid peroxidation, 197
cytochrome *P*450IA1, 4 S PAH-binding protein, Ah receptor, polycyclic aromatic hydrocarbons, dioxins, 175
cytotoxicity, lipid peroxides, malondialdehyde, 4-hydroxynonenal, 225

desferrioxamine, aluminum, metal chelation, microdialysis, rat, 313
diabetes, rats, metavanadate, orthovanadate, vanadyl, 279

2,3-dihydroxybenzoic acid, salicylic acid, 2,5-dihydroxybenzoic acid, nephrotoxicity, aging, 297
2,3-dihydroxybenzoic acid, salicylic acid, 2,5-dihydroxybenzoic acid, nephrotoxicity, aging, 297
dioxins, cytochrome *P*450IA1, 4 S PAH-binding protein, Ah receptor, polycyclic aromatic hydrocarbons, 175
distribution, terbium, calcium, organs, mice, 93
DNA synthesis, cadmium, glutathione, NRK-49F cells, buthionine sulfoximine, 325
dopamine, polychlorinated biphenyls, non-human primates, neurochemical effects, 145
dose-response relationship, cadmium in rice, urinary metallothionein, urinary β2-microglobulin, maximum allowable intake, cadmium, metallothionein, 271

embryos, naphthalene, preimplantation, prenatal, toxicity, biotransformation, 257

fluorescent pigments, acid phosphatase, chloroquine, γ-glutamyl transpeptidase, glutathione, 165

glucocorticoid, lindane (γ-HCH), adrenal, adrenotoxicity, organochlorine, 75
gluconeogenesis, 2,3,7,8-tetrachlorodibenzo-*p*-dioxin, time course, phosphoenolpyruvate carboxykinase, glucose-6-phosphatase, acute toxicity, 133
glucose-6-phosphatase, 2,3,7,8-tetrachlorodibenzo-*p*-dioxin, gluconeogenesis, time course, phosphoenolpyruvate carboxykinase, acute toxicity, 133
γ-glutamyl transpeptidase, acid phosphatase, chloroquine, fluorescent pigments, glutathione, 165
glutathione, acid phosphatase, chloroquine, fluorescent pigments, γ-glutamyl transpeptidase, 165
glutathione, cadmium, DNA synthesis, NRK-49F cells, buthionine sulfoximine, 325
glutathione, calcium, hepatotoxicity, isolated perfused liver, lipid peroxidation, vanadate, 63

hepatotoxicity, calcium, glutathione, isolated perfused liver, lipid peroxidation, vanadate, 63
4-hydroxynonenal, cytotoxicity, lipid peroxides, malondialdehyde, 225

inhibition of protein, DNA, RNA syntheses, bolesatine, mushroom, toxic protein, *Boletus satanas*, Madin Darby canine kidney cells, 213
in vivo, brevetoxin, skin penetration, in vitro, 1
isolated perfused liver, calcium, glutathione, hepatotoxicity, lipid peroxidation, vanadate, 63

life span exposure, NO_2 + O_3, rat lungs, lipid peroxides, antioxidative protective emzyme, antioxidants, lung tumor, 121
lindane (γ-HCH), adrenal, glucocorticoid, adrenotoxicity, organochlorine, 75
lipid peroxidation, calcium, glutathione, hepatotoxicity, isolated perfused liver, vanadate, 63
lipid peroxidation, orotic acid, tumor promotion, vitamin E, cytochrome *P*-450, 197
lipid peroxides, cytotoxicity, malondialdehyde, 4-hydroxynonenal, 225
lipid peroxides, NO_2 + O_3, life span exposure, rat lungs, antioxidative protective emzyme, antioxidants, lung tumor, 121
liver damage, acetaminophen, bromobenzene, mice, zinc protection, 81
lung, superoxide dismutase, blood, rat, mercury, *N*-acetylcysteine, 289
lung tumor, NO_2 + O_3, life span exposure, rat lungs, lipid peroxides, antioxidative protective emzyme, antioxidants, 121

Madin Darby canine kidney cells, bolesatine, mushroom, toxic protein, *Boletus satanas*, inhibition of protein, DNA, RNA syntheses, 213
malondialdehyde, cytotoxicity, lipid peroxides, 4-hydroxynonenal, 225
maximum allowable intake, dose-response relationship, cadmium in rice, urinary metallothionein, urinary β2-microglobulin, cadmium, metallothionein, 271
mercury, superoxide dismutase, lung, blood, rat, *N*-acetylcysteine, 289
metallothionein, dose-response relationship, cadmium in rice, urinary metallothionein, urinary β2-microglobulin, maximum allowable intake, cadmium, 271
metallothionein, ROS 17/2.8 cells, osteosarcoma cells, rat, sodium butyrate, 35
metal chelation, aluminum, desferrioxamine, microdialysis, rat, 313
metavanadate, rats, diabetes, orthovanadate, vanadyl, 279
mice, acetaminophen, bromobenzene, liver damage, zinc protection, 81
mice, terbium, calcium, distribution, organs, 93
microdialysis, aluminum, desferrioxamine, metal chelation, rat, 313
mitotic inhibition, cyclophosphamide toxicity, B and T lymphocytes, 239

mushroom, bolesatine, toxic protein, *Boletus satanas*, inhibition of protein, DNA, RNA syntheses, Madin Darby canine kidney cells, 213

N-acetylcysteine, superoxide dismutase, lung, blood, rat, mercury, 289
naphthalene, preimplantation, prenatal, toxicity, embryos, biotransformation, 257
narcosis, partition coefficients, partial molar volume, volume fraction, critical concentration, 187
nephrotoxicity, succinimides, calcium, phenothiazines, rats, 19
nephrotoxicity, succinimides, cephalosporins, antibiotics, rats, 47
nephrotoxicity, salicylic acid, 2,3-dihydroxybenzoic acid, 2,5-dihydroxybenzoic acid, aging, 297
neurochemical effects, polychlorinated biphenyls, non-human primates, dopamine, 145
NO_2 + O_3, life span exposure, rat lungs, lipid peroxides, antioxidative protective emzyme, antioxidants, lung tumor, 121
non-human primates, polychlorinated biphenyls, dopamine, neurochemical effects, 145
NRK-49F cells, cadmium, glutathione, DNA synhesis, buthionine sulfoximine, 325

organochlorine, lindane (γ-HCH), adrenal, glucocorticoid, adrenotoxicity, 75
organs, terbium, calcium, distribution, mice, 93
orotic acid, tumor promotion, vitamin E, lipid peroxidation, cytochrome *P*-450, 197
orthovanadate, rats, diabetes, metavanadate, vanadyl, 279
osteosarcoma cells, metallothionein, ROS 17/2.8 cells, rat, sodium butyrate, 35

partial molar volume, narcosis, partition coefficients, volume fraction, critical concentration, 187
partition coefficients, narcosis, partial molar volume, volume fraction, critical concentration, 187
phenothiazines, nephrotoxicity, succinimides, calcium, rats, 19
phosphoenolpyruvate carboxykinase, 2,3,7,8-tetrachlorodibenzo-*p*-dioxin, gluconeogenesis, time course, glucose-6-phosphatase, acute toxicity, 133
polychlorinated biphenyls, non-human primates, dopamine, neurochemical effects, 145
polycyclic aromatic hydrocarbons, cytochrome *P*450IA1, 4 S PAH-binding protein, Ah receptor, dioxins, 175
preimplantation, naphthalene, prenatal, toxicity, embryos, biotransformation, 257
prenatal, naphthalene, preimplantation, toxicity, embryos, biotransformation, 257

rat, aluminum, desferrioxamine, metal chelation, microdialysis, 313
rat, retinoid, retinol, Ro 23-2895, testes, spermatogenesis, testosterone, 105
rat, superoxide dismutase, lung, blood, mercury, *N*-acetylcysteine, 289
rats, diabetes, metavanadate, orthovanadate, vanadyl, 279
rat, metallothionein, ROS 17/2.8 cells, osteosarcoma cells, sodium butyrate, 35
rats, nephrotoxicity, succinimides, cephalosporins, antibiotics, 47
rats, nephrotoxicity, succinimides, calcium, phenothiazines, 19
rat lungs, NO_2 + O_3, life span exposure, lipid peroxides, antioxidative protective emzyme, antioxidants, lung tumor, 121
retinoid, retinol, Ro 23-2895, testes, rat, spermatogenesis, testosterone, 105
retinol, retinoid, Ro 23-2895, testes, rat, spermatogenesis, testosterone, 105
ROS 17/2.8 cells, metallothionein, osteosarcoma cells, rat, sodium butyrate, 35
Ro 23-2895, retinoid, retinol, testes, rat, spermatogenesis, testosterone, 105

4 S PAH-binding protein, cytochrome *P*450IA1, Ah receptor, polycyclic aromatic hydrocarbons, dioxins, 175
salicylic acid, 2,3-dihydroxybenzoic acid, 2,5-dihydroxybenzoic acid, nephrotoxicity, aging, 297
skin penetration, brevetoxin, in vivo, in vitro, 1
sodium butyrate, metallothionein, ROS 17/2.8 cells, osteosarcoma cells, rat, 35
spermatogenesis, retinoid, retinol, Ro 23-2895, testes, rat, testosterone, 105
succinimides, nephrotoxicity, calcium, phenothiazines, rats, 19
succinimides, nephrotoxicity, cephalosporins, antibiotics, rats, 47
superoxide dismutase, lung, blood, rat, mercury, *N*-acetylcysteine, 289

terbium, calcium, distribution, organs, mice, 93
testes, retinoid, retinol, Ro 23-2895, rat, spermatogenesis, testosterone, 105
testosterone, retinoid, retinol, Ro 23-2895, testes, rat, spermatogenesis, 105

2,3,7,8-tetrachlorodibenzo-*p*-dioxin, gluconeogenesis, time course, phosphoenolpyruvate carboxykinase, glucose-6-phosphatase, acute toxicity, 133
time course, 2,3,7,8-tetrachlorodibenzo-*p*-dioxin, gluconeogenesis, phosphoenolpyruvate carboxykinase, glucose-6-phosphatase, acute toxicity, 133
toxicity, naphthalene, preimplantation, prenatal, embryos, biotransformation, 257
toxic protein, bolesatine, mushroom, *Boletus satanas*, inhibition of protein, DNA, RNA syntheses, Madin Darby canine kidney cells, 213
tumor promotion, orotic acid, vitamin E, lipid peroxidation, cytochrome *P*-450, 197

urinary β2-microglobulin, dose-response relationship, cadmium in rice, urinary metallothionein, maximum allowable intake, cadmium, metallothionein, 271
urinary metallothionein, dose-response relationship, cadmium in rice, urinary β2-microglobulin, maximum allowable intake, cadmium, metallothionein, 271

vanadate, calcium, glutathione, hepatotoxicity, isolated perfused liver, lipid peroxidation, 63
vanadyl, rats, diabetes, metavanadate, orthovanadate, 279
vitamin E, orotic acid, tumor promotion, lipid peroxidation, cytochrome *P*-450, 197
volume fraction, narcosis, partition coefficients, partial molar volume, critical concentration, 187

zinc protection, acetaminophen, bromobenzene, mice, liver damage, 81

Toxicology, 66 (1991) 353—354
Elsevier Scientific Publishers Ireland Ltd.

TOXICOLOGY

AUTHOR INDEX

Volume 66 (1991)

Angle, C.R.	35	Kido, T.	271
		Kito, H.	271
Birnbaum, L.S.	297	Kopp, P.	289
Blair, P.C.	297	Kretz, O.	213
Bloom, S.E.	239	Kunz, W.	197
Bosakowski, T.	105		
Bresnick, E.	175	Lahiri, P.	75
Brosch, K.O.	145	Lebofsky M.	133
Brown, P.I.	19,47	Ledig, M.	289
Bush, B.	145	Leroy, M.	289
		Levin, A.A.	105
Caffrey, T.C.	35	Lidums, V.	313
Chiba, M.	93	Livardjani, F.	289
Clark, A.-M.	297	Llobet, J.M.	279
Connell, D.W.	187		
Corbella, J.	279	Martin, J.E.	257
Creppy, E.E.	213	McMahon, T.F.	297
		Mehta, M.	1
Dahlet, M.	289	Michiels, C.	225
Dirheimer, G.	213	Misra, R.R.	239
Domingo, J.L.	279	Muzi G.	133
Durham, S.K.	105		
		Nakagawa, K.	165
Enger, M.D.	325	Nicoll D.W.	19,47
		Nogawa, K.	271
Gomez, M.	279		
Gorski J.R.	133	Piotrowski, J.K.	81
Hawker, D.W.	187	Raha, A.	175
Honda, R.	271	Rankin, G.O.	19,47
Houser, W.H.	175	Reddy, V.	175
		Reifenrath, W.G.	1
Ichinose, T.	121	Remacle, J.	225
Irvin, T.R.	257	Rozman, K.	133
Iyer, P.	257		
		Sagai, M.	121
Jaeger, A.	289	Scholz, W.	197
		Seegal, R.F.	145
Kang, Y.-J.	325	Shaikh, Z.A.	271
Keen, C.L.	279	Shinohara, A.	93
Kemppainen, B.W.	1	Sircar S.	75

Stafford, R.G. 1
Stahl B.U. 133
Stefanski, S.A. 297
Steffen C. 197
Strubelt, O. 63
Sutherland, C.H. 19
Swanson, S.A. 35
Świetlicka, E.A. 81
Szymańska, J.A. 81

Teets, V.J. 19,47
Thomas, D.J. 35

Ungerstedt, U. 313

Valentovic, M.A. 19

Warne, M. St. J. 187
Weber L.W.D. 133
Willenbrock, R. 197
Wilson, R.E. 297
Wolf, A. 197

Xu, L.C. 175

Yokel, R.A. 313
Younes, M. 63